

SECTION III. PHYSICAL DATA

---

APPEARANCE & ODOR: COLORED PASTE WITH A SLIGHT AMMONIA ODOR.

BOILING POINT: 212 F (H2O)                      EVAPORATION RATE: (N-BUTYL  
VAPOR PRESSURE: 17.5 MMHG @ 68 F (H2O)                      ACETATE=1): < 1 (H2O)  
WATER SOLUBILITY (%): DISPERSIBLE                      SPECIFIC GRAVITY (H2O=1): 1.46  
VAPOR DENSITY (AIR=1): < 1                      % VOLATILE BY VOLUME: 25 - 30

VOC LESS WATER LESS EXEMPT SOLVENT (GRAMS/LITER): 15 - 20  
VOC MATERIAL (GRAMS/LITER): 10 - 15

SECTION IV. FIRE AND EXPLOSION DATA

---

FLASH POINT (METHOD): > 200 F (SETA)                      LIMITS: LEL %: NE    UEL %: NE

EXTINGUISHING MEDIA: FOAM, WATER, DRY CHEMICALS.

UNUSUAL FIRE OR EXPLOSION HAZARDS: NONE KNOWN.

SPECIAL FIRE-FIGHTING PROCEDURES: USE WATER SPRAY TO COOL EXPOSED SURFACES.

SECTION V. REACTIVITY DATA

---

MATERIAL IS STABLE AT ROOM TEMPERATURE. HAZARDOUS POLYMERIZATION WILL NOT OCCUR.

INCOMPATIBILITIES: STRONG OXIDIZERS AND CAUSTICS.

CONDITIONS TO AVOID: EXCESSIVE HEAT.

HAZARDOUS DECOMPOSITION PRODUCTS: NORMAL COMBUSTION PRODUCTS, I.E. COX, NOX.

SECTION VI. HEALTH HAZARD INFORMATION

---

THIS PRODUCT IS NOT CONSIDERED A CARCINOGEN BY THE NTP, IARC OR OSHA.

MEDICAL CONDITIONS WHICH MAY BE AGGRAVATED BY CONTACT: NONE KNOWN.

PRIMARY ENTRY ROUTE(S): SKIN CONTACT.

ACUTE EFFECTS: MAY IRRITATE EYES, SKIN, NOSE AND UPPER RESPIRATORY SYSTEM.

HARMFUL IF SWALLOWED. IF INGESTED, THIS PRODUCT MAY CAUSE VOMITING, DIARRHEA, AND DEPRESSED RESPIRATION. INGESTION OF ETHYLENE GLYCOL CAN CAUSE GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING, DIARRHEA AND, IF CONSUMED IN SUFFICIENT QUANTITIES, DEATH.

CHRONIC EFFECT(S): PROLONGED OR REPEATED CONTACT WITH SKIN MAY CAUSE IRRITATION.